L Number	Hits	Search Text	DB	Time stamp
-	2	("5958049").PN.	USPAT;	2004/05/13 16:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	17	remote\$2 near10 diagnos\$5 and download\$3 near10 (fault or	USPAT;	2004/11/01 15:21
		error or event or log) adj3 (information or file or data) and	US-PGPUB;	
		(@AD<20000914 or @RLAD<20000914 or	EPO; JPO;	
		@PRAD<20000914)	DERWENT;	
		(B) 1(AD 120000314)	IBM_TDB	
_	.5	(remote\$2 near10 diagnos\$5 and download\$3 near10 (fault or	USPAT;	2004/11/01 15:10
_	٠,5	error or event or log) adj3 (information or file or data) and	US-PGPUB;	200-7/17/01 13:10
.i				
		(@AD<20000914 or @RLAD<20000914 or	EPO; JPO;	
		@PRAD<20000914)) and Internet	DERWENT;	
	4.5		IBM_TDB	
-	19	remote\$2 near10 (troubleshooting or trouble adj shoot\$3 or	USPAT;	2004/11/01 16:58
		diagnos\$5) and download\$3 near10 (fault or error or event or	US-PGPUB;	
		log) adj3 (information or file or data) and (@AD<20000914 or	EPO; JPO;	
		@RLAD<20000914 or @PRAD<20000914)	DERWENT;	!
			IBM_TDB	
	1	(remote\$2 near10 (troubleshooting or trouble adj shoot\$3 or	USPAT;	2004/11/01 17:06
		diagnos\$5) and download\$3 near10 (fault or error or event or	US-PGPUB;	
		log) adj3 (information or file or data) and (@AD<20000914 or	EPO; JPO;	
		@RLAD<20000914 or @PRAD<20000914)) and (register\$3 or	DERWENT;	
		registration) and driver	IBM TDB	
-	85	remote\$2 near10 (troubleshooting or trouble adj shoot\$3 or	USPAT;	2004/11/01 17:07
		diagnos\$5 or monitor\$3) and download\$3 near10 (fault or	US-PGPUB;	:
		error or event or log) adj3 (information or file or data or	EPO; JPO;	
		message) and (@AD<20000914 or @RLAD<20000914 or	DERWENT;	
		@PRAD<20000914)	IBM_TDB	
-	21	(remote\$2 near10 (troubleshooting or trouble adj shoot\$3 or	USPAT;	2004/11/01 17:48
		diagnos\$5 or monitor\$3) and download\$3 near10 (fault or	US-PGPUB;	
		error or event or log) adj3 (information or file or data or	EPO; JPO;	
		message) and (@AD<20000914 or @RLAD<20000914 or	DERWENT;	
		@PRAD<20000914)) and (register\$3 or registration) and	IBM_TDB	
		driver	.5 55	
_	6	remote\$2 near10 (troubleshooting or trouble adj shoot\$3 or	USPAT:	2004/11/01 18:08
		diagnos\$5 or monitor\$3) and download\$3 near10 (event) adj3	US-PGPUB;	2007/11/01 10:00
		(log) and (@AD<20000914 or @RLAD<20000914 or	EPO; JPO;	
		(iog) and (@AD<20000914 of @RDAD<20000914 of @PRAD<20000914)	DERWENT;	
		(W) 10AD 120000314)	IBM_TDB	
_	20	remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 17:18
_	. 20	application or process) with (event or warning or error or status		2004/11/01 17.16
			US-PGPUB;	
		near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and	EPO; JPO;	
		download\$3 near10 (data or file or log or information) with	DERWENT;	
		(network or remote\$2 or Internet) and (@AD<20000914 or	IBM_TDB	
	00	@RLAD<20000914 or @PRAD<20000914)	LICOAT	000444404 40 55
-	20	remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 18:06
		application or process) with (event or warning or error or	US-PGPUB;	
		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	EPO; JPO;	
		terminat\$3) and download\$3 near10 (data or file or log or	DERWENT;	
		information) with (network or remote\$2 or Internet) and	IBM_TDB	
		(@AD<20000914 or @RLAD<20000914 or		
		@PRAD<20000914)		

	65	(remote\$2 near10 (logging or monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and (access\$3 or download\$3) near10 (data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 17:48
,		@PRAD<20000914)) not (remote\$2 near10 (logging or monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or		
		abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10 (data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000914))		
-	0	(remote\$2 near10 (troubleshooting or trouble adj shoot\$3 or diagnos\$5 or monitor\$3) and download\$3 near10 (fault or error or event or log) adj3 (information or file or data or message) and (@AD<20000914 or @RLAD<20000914)) and ((remote\$2 near10 (logging or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 17:48
		monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and (access\$3 or download\$3) near10 (data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or		
		@RLAD<20000914 or @PRAD<20000914)) not (remote\$2 near10 (logging or monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10 (data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or		
-	40	@RLAD<20000914 or @PRAD<20000914))) ((remote\$2 near10 (logging or monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and (access\$3 or download\$3) near10 (data or file	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/11/01 17:55
		or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000914)) not (remote\$2 near10 (logging or monitor\$3) with (program or application or process) with (event	IBM_TDB	
		or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10 (data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000914))) and (register\$3 or registration) and		
-	40	driver (((remote\$2 near10 (logging or monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/11/01 17:53
		terminat\$3) and (access\$3 or download\$3) near10 (data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000914)) not (remote\$2 near10 (logging or monitor\$3) with (program or application or process) with (event	IBM_TDB	·
		or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10 (data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000914))) and (register\$3 or registration) and		
		driver) and (troubleshooting or trouble adj shoot\$3 or diagnos\$5 or monitor\$3)		

-	32	(((remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 17:54
		application or process) with (event or warning or error or	US-PGPUB; EPO; JPO;	
1		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	DERWENT;	
		terminat\$3) and (access\$3 or download\$3) near10 (data or file or log or information) with (network or remote\$2 or Internet)	IBM_TDB	
		and (@AD<20000914 or @RLAD<20000914 or	IDIVI_IDD	
		@PRAD<20000914)) not (remote\$2 near10 (logging or		
		monitor\$3) with (program or application or process) with (event		
		or warning or error or (status or state) near3 chang\$3 or	i	
		abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10		
		(data or file or log or information) with (network or remote\$2 or		
		Internet) and (@AD<20000914 or @RLAD<20000914 or		
		@PRAD<20000914))) and (register\$3 or registration) and		
		driver) and (troubleshooting or trouble adj shoot\$3 or		
		diagnos\$5)		
-	0	((remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 17:56
		application or process) with (event or warning or error or	US-PGPUB;	
		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	EPO; JPO;	
		terminat\$3) and (access\$3 or download\$3) near10 (data or file	DERWENT;	
		or log or information) with (network or remote\$2 or Internet)	IBM_TDB	
		and (@AD<20000914 or @RLAD<20000914 or		
		@PRAD<20000914)) not (remote\$2 near10 (logging or		
		monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or		
		abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10		
•	1	(data or file or log or information) with (network or remote\$2 or		
		Internet) and (@AD<20000914 or @RLAD<20000914 or	!	
		@PRAD<20000914))) and register\$3 near10 device adj driver		
		with server		
-	0	((remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 18:10
		application or process) with (event or warning or error or	US-PGPUB;	
		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	EPO; JPO;	
		terminat\$3) and (access\$3 or download\$3) near10 (data or file	DERWENT;	
		or log or information) with (network or remote\$2 or Internet)	IBM_TDB	
		and (@AD<20000914 or @RLAD<20000914 or		
		@PRAD<20000914)) not (remote\$2 near10 (logging or		
		monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or		
		abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10		` ;
		(data or file or log or information) with (network or remote\$2 or		
		Internet) and (@AD<20000914 or @RLAD<20000914 or		
		@PRAD<20000914))) and register\$3 near10 device adj driver		
	1	((remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 17:56
		application or process) with (event or warning or error or	US-PGPUB;	
		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	EPO; JPO;	
		terminat\$3) and (access\$3 or download\$3) near10 (data or file	DERWENT;	
		or log or information) with (network or remote\$2 or Internet)	IBM_TDB	
		and (@AD<20000914 or @RLAD<20000914 or		
		@PRAD<20000914)) not (remote\$2 near10 (logging or		
		monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or		
		abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10		
		(data or file or log or information) with (network or remote\$2 or		,
		Internet) and (@AD<20000914 or @RLAD<20000914 or		
		@PRAD<20000914))) and register\$3 near10 driver		
-	85	remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 18:09
		application or process) with (event or warning or error or	US-PGPUB;	
		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	EPO; JPO;	
		terminat\$3) and (access\$3 or download\$3) near10 (data or file	DERWENT;	
		or log or information) with (network or remote\$2 or Internet)	IBM_TDB	
		and (@AD<20000914 or @RLAD<20000914 or		
	000	@PRAD<20000914)	LICDAT	0004/44/04 40 00
-	322	remote\$2 near10 (gather\$3 or download\$3 or collect\$3 or	USPAT;	2004/11/01 18:08
		retriev\$3 or access\$3) near5 (log or event) near5 (file or log) and (@AD<20000914 or @RLAD<20000914 or	US-PGPUB; EPO; JPO;	
		and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000914)	DERWENT;	
		(IBM_TDB	
	<u> </u>		.5141_100	

	974	(network or Internet or remote\$2) near10 (gather\$3 or	USPAT;	2004/11/01 18:08
		download\$3 or collect\$3 or retriev\$3 or access\$3) near5 (log	US-PGPUB:	200 / /
	,	or event) near5 (file or log) and (@AD<20000914 or	EPO: JPO:	
		@RLAD<20000914 or @PRAD<20000914)	DERWENT:	
		(IBM TDB	
-	236	((network or Internet or remote\$2) near10 (gather\$3 or	USPAT;	2004/11/01 18:09
		download\$3 or collect\$3 or retriev\$3 or access\$3) near5 (log	US-PGPUB:	
		or event) near5 (file or log) and (@AD<20000914 or	EPO; JPO;	
		@RLAD<20000914 or @PRAD<20000914)) and	DERWENT;	
		(troubleshooting or trouble adj shoot\$3 or diagnos\$5)	IBM TDB	
_	161	(((network or Internet or remote\$2) near10 (gather\$3 or	USPAT;	2004/11/01 18:12
		download\$3 or collect\$3 or retriev\$3 or access\$3) near5 (log	US-PGPUB;	
		or event) near5 (file or log) and (@AD<20000914 or	EPO; JPO;	
		@RLAD<20000914 or @PRAD<20000914)) and	DERWENT;	
		(troubleshooting or trouble adj shoot\$3 or diagnos\$5)) and	IBM TDB	
		(program or application or process) with (event or warning or	<u>-</u>	
		error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4		
		or terminat\$3)		
-	4	((((network or Internet or remote\$2) near10 (gather\$3 or	USPAT;	2004/11/01 18:10
		download\$3 or collect\$3 or retriev\$3 or access\$3) near5 (log	US-PGPUB;	
		or event) near5 (file or log) and (@AD<20000914 or	EPO; JPO;	
	İ	@RLAD<20000914 or @PRAD<20000914)) and	DERWENT;	
		(troubleshooting or trouble adj shoot\$3 or diagnos\$5)) and	IBM_TDB	
		(program or application or process) with (event or warning or	_	
		error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4		
		or terminat\$3)) and register\$3 near10 device adj driver		
-	34	(((network or Internet or remote\$2) near10 (gather\$3 or	USPAT;	2004/11/01 18:12
		download\$3 or collect\$3 or retriev\$3 or access\$3) near5 (log	US-PGPUB;	
		or event) near5 (file or log) and (@AD<20000914 or	EPO; JPO;	
		@RLAD<20000914 or @PRAD<20000914)) and	DERWENT;	
		(troubleshooting or trouble adj shoot\$3 or diagnos\$5)) and	IBM_TDB	
		(logging or recording) with (program or application or process)	1 -	
		with (event or warning or error or (status or state) near3		
		chang\$3 or abort\$3 or cancel\$4 or terminat\$3)		